

# TransNet

## REMOVER FOR TransPAR®

### EFFICIENT ON PLASTIC AND GLASS GREENHOUSES

- TransNet is used on greenhouses, it removes TransPAR just by spraying is on the greenhouse. It is not aggressive for your greenhouse or its structure.
- As a blue gel, it has the ideal viscosity to prevent it from running of the greenhouse.
- TransNet is supplied in plastic cans of 15 kg.

**DILUTION**

1 part of **TransNet**  
+  
6 parts of water

**USE**

*Apply*      *Leave to act*      *Rinse*



- To mix it easy, dilute first one part TransNet with one part of water and then add the rest of the water. Mix the solution well.
  - Apply preferably on an overcast day.
  - Leave to act for 15 minutes.
  - Rinse with clean water or let it be rinsed by rain. The result is visible directly after rinsing. The time it needs to rinse by rain depends on the amount of rain.
- **YIELD:** 1 can is enough for about 600 to 675 m<sup>2</sup> of greenhouse.
  - **STORAGE:** Stock in its original package at moderate conditions. The product can be used after it has been frozen. After it has been defrozen again the product still has the same properties.
  - The TransNet is formulated to remove the TransPAR. Please ask us for the removal of other shading paints.
  - TransNet is a chemical product for profesional use. The use of protective gloves and glasses is recommended. The product is not subjected to a labelling of safety. Store out of the reach of children.

0029-909Q-005UK

**FOR PROFESSIONAL USE ONLY IMPORTANT NOTE:** The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and current laws. The given data is based on average observed results. Our suggestions do not relieve the user of the necessity to test our products and to verify for the suitability for the purpose envisaged according to the used conditions. Any person using the product for any purpose other than that specifically recommended in the technical data sheet does so at his own risk. Always read the safety data sheet and the technical data sheet for this product. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, we do not accept any liability whatsoever for any loss damage arising out of the use of the product. All products supplied and technical advices given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.



1, rue Gaston Monmousseau - 38 130 Echirolles - FRANCE - [www.sudlac.com](http://www.sudlac.com)  
Tel : +33 (0)4 76 23 20 54 - Fax : +33 (0)4 76 09 34 15 - E-mail : [sudlac@sudlac.com](mailto:sudlac@sudlac.com)